

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S239	1	S238 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 12:04
S238	226	(insert\$3 with averag\$3 with (adjacent or next or immediate\$2)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 12:04
S237	36	S235 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:57
S236	3	S235 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:56
S235	4799	(averag\$3 with (adjacent) with (number\$1 or value\$1)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:55
S234	12558	(averag\$3 with (adjacent or next or immediate\$2) with (number\$1 or value\$1)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:55
S233	35997	(averag\$3 with (adjacent or next or immediate\$2)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:55
S232	62	S231 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:46
S231	3913	(sequence with (number\$1 or value\$1) with averag\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:45
S230	1	S224 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:33

S229	43	((insert\$3 same concurrent \$2) same averag\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:13
S228	38	((insert\$3 same concurrent \$2) same average) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:13
S227	1	((insert\$3 same concurrent \$2) same random\$2 same average) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:12
S226	1	((insert\$3 with concurrent\$2) same random\$2 same average) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 11:12
S225	33	S224 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:16
S224	2654	(averag\$3 same sequence same random\$5) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:15
S222	15	(insert\$3 same (number\$1 or value\$1) same averag\$3 same concurrent\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:08
S221	7857	(insert\$3 same (number\$1 or value\$1) same averag\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:08
S220	2	S219 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:06
S219	142	((node\$1) and (insert\$3 same random\$5 same averag \$3)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:05
S218	579	((node\$1 or list\$3) and (insert \$3 same random\$5 same averag\$3)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:05

S217	6855	((node\$1 or list\$3) and (insert \$3 same random\$5) and averag\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:04
S216	40812	((node\$1 or list\$3) and insert \$3 and random\$5 and averag \$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 10:04
S215	1	10/684055 and concurrent\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 09:57
S214	1	"20070136385" and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 09:54
S213	0	"20070136385" and concurrent\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/14 09:54
S212	2	"20070136385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 10:56
S211	2	"5226158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:23
S210	2	"20050055363"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:21
S209	2	"5937409".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:20
S208	2	"6996566".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:17
S207	2	"5303147".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:13

S206	2	"20010050675"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:12
S205	2	"20030236787"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:11
S204	3	"6728727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:05
S203	2	"20070136385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:04
S202	2	"20040015814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 12:04
S201	2	"20070136385" and level\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:32
S200	2	"20070136385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:32
S199	5	(((random\$2 with (insert \$3)) same node\$1) same level\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:30
S198	65	(((random\$2 with (insert\$3)) same node\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:24
S197	15	(((random\$2 with (insert\$3 or into or between) with adjacent) same node\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:20
S196	2	"20040243592" and random \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:08

S195	3	"20040243592"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:08
S194	5	"448316".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:08
S193	79	((random\$2 with (insert\$3 or into or between) with adjacent) same sequence\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 09:04
S192	86	S191 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:46
S191	7486	(((random\$2 with (insert\$3 or into or between)) same sequence\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:46
S190	343	S189 and (random\$2 with (insert\$3 or into or between))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:44
S189	4365	S188 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:43
S188	134741	(random\$2 and sequence\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:43
S187	56	S186 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:35
S186	1238	(randomn\$3 same sequence \$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:35
S185	3645	(randomn\$3 and sequence \$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:31

S184	2	"20030206170" and random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:21
S183	3	"20030206170"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:21
S182	3	"6728727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 08:20
S181	3	"684055".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 07:54
S180	221	(object\$1 near5 relational near5 map\$4) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:45
S179	8	S177 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:45
S178	60	S176 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:45
S177	203	S176 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:44
S176	552	(valid near3 attribute\$3 near3 value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:44
S175	10	((attribute near3 (class adj type))) and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:44
S174	19	((attribute near3 (class adj type))) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:44

S173	19	S172 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:43
S172	66	((attribute near3 (class adj type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:43
S171	1	S160 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:43
S170	245	S169 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:43
S169	711	(attribute\$1 near2 null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:43
S168	2	(concurrent\$2 with (chang\$3 or alter\$3) with order\$3 with value\$1) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:42
S167	86096	S165 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:42
S166	81440	S165 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41
S165	313382	L18and (row\$1 and column \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41
S164	47	S162 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41
S163	50	S162 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41

S162	180	(random near5 between near5 ((two or pair or couple) near3 (number\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41
S161	9	S159 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:41
S160	27	S158 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S159	124	S158 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S158	356	S157 and model\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S157	432	object near3 relational near3 mapping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S156	23	S155 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S155	297	S154 and (database\$1 and model\$1 and object\$1 and relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S154	2690	S151 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:40
S153	1073	S151 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:39
S152	1503	S151 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:39

S151	4303	(sequence near5 attribute\$1) or ((sequence near3 (identification or number))) with attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:39
S150	2	S148 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S149	0	S148 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S148	3	S147 and (sequence near5 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S147	75	"5857197".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S146	6	S142 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S145	18	S142 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S144	6	S142 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S143	18	S142 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S142	75	"5857197".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:38
S141	0	S140 and "707".S136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:37

S140	73	(object\$1 near5 relational near5 map\$4) and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:37
S139	221	(object\$1 near5 relational near5 map\$4) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:36
S138	8	S136 and @prad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:35
S137	0	S136 and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:35
S136	27	((conversion\$1 or convert\$4) near5 database\$1) with (flat near3 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:35
S135	1	"20040015814" and (((updat \$3 or modif\$7 or creat\$3) with (metadata or meta? data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:59
S131	1	"20040015814" and (((updat \$3 or modif\$7 or creat\$3) with (metadata or meta? data)) and (chang\$3 or alter \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:59
S134	2	"6728727".pn. and (chang\$3 or alter\$3 or concurrent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:05
S130	0	"20040015814" and (((updat \$3 or modif\$7 or creat\$3) with (metadata or meta? data)) same (chang\$3 or alter \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:04
S133	2	"684055".ap. and concurrent \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:01
S132	0	"684055".ap. and concurrently	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:01

S129	1	"20040015814" and ((updat\$3 or modif\$7 or creat\$3) with (metadata or meta?data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 12:56
S128	2	"20040015814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 12:07
S1	2	"20050097187"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 12:07
S127	4	S125 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 08:43
S126	468	"L13" and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 08:43
S125	13	(concurrent\$2 with (chang\$3 or alter\$3) with order\$3 with value\$1) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 08:43
S15	59	S14 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 08:40
S124	1	"20040015814" and (metadata or meta?data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/14 17:05
S123	1	"5226158".pn. and (arc with constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:13
S122	1	"5226158".pn. and arc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:13
S121	0	"5226058".pn. and arc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:12

S120	2	"5226058".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:12
S119	2	"20050055363"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:12
S118	3	S114 and arc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 17:03
S114	170	S113 and (object and relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:41
S117	1	"20050097187" and arc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:34
S116	1	"20040015814" and null	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:30
S115	0	"5857197".pn. and null	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:30
S113	439	S112 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:25
S112	549	(attribute\$1 near2 null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:25
S111	13	S104 and null	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:24
S104	33	S103 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:22

S110	0	"6134559".pn. and null	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:21
S109	0	"5937409".pn. and null	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:21
S108	0	"5937409".pn. and valid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:21
S106	1	"6134559".pn. and ((class adj type) or attribute\$1 or null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 16:21
S107	2	"5937409".pn. and ((class adj type) or attribute\$1 or null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:38
S105	2	"6134559".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:25
S103	45	((attribute near3 (class adj type)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:45
S102	24152564	((attribute near3 (class adj type))) @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:45
S101	34	S99 and (class near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:44
S100	40	S99 and (class near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:32
S99	258	S98 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:31

S98	355	(valid near3 attribute\$3 near3 value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:31
S97	8	S95 and (class near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:31
S95	35	S93 and (constraint\$1 with attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:24
S96	2	"312798".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:19
S94	1	S93 and (constraint\$1 with valid with attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:14
S93	421	(object\$1 near5 relational near5 map\$4) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:11
S5	421	(object\$1 near5 relational near5 map\$4) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:10
S92	1	"5857197".pn. and constraint \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:29
S91	0	"20040015814" and constraint \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:29
S88	6	S87 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:28
S90	7	((alternative\$2 or either) near6 (string near5 (fixed and variable)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:36

S89	1	"20010050675" and string\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:28
S82	179	((fixed with variable near (length)) near5 string\$1)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:28
S87	7	((alternative\$2 or either) near6 (string near5 (fixed and variable)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:17
S86	3	((fixed with variable near (length)) near5 string\$1) with either) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:16
S85	4	((fixed with variable near (length)) near5 string\$1) with two) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:08
S84	25	((fixed with variable near (length)) near5 string\$1) with (stor\$3 or put\$3 or sav\$3)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:06
S83	2	((fixed with variable near (length)) near5 string\$1) with alternative\$2) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 15:00
S81	4	((fixed with variable near (length)) near5 string\$1) with both) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:59
S78	1	"20020143521" and (string\$1 with variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:57
S80	2	"20050097187" and (string\$1 or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:49
S79	2	"20050097187" and (string\$1 or first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:49

S77	0	"20020143521" and (string\$1 with variable with length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:44
S76	73	S73 and (floating near3 ((positive and negative) or (plus and minus)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:44
S75	204	S73 and (floating near3 (limit \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:30
S74	398	S73 and (floating near5 (limit \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:26
S73	20788	(floating adj point) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:25
S72	1	"6728727".pn. and (sequence or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:24
S71	119	S70 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 14:03
S70	146	(random near5 between) near5 ((two or pair or couple) near3 (number\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:49
S69	1	(randomn near2 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:48
S68	1	(randomn near5 between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:48
S67	0	(randomn near5 between) near5 ((two or pair or couple) near3 (number\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:48

S66	0	randomn near5 between near5 ((two or pair or couple) near3 (number\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:46
S65	1	"20050097187" and (sequence \$1 or randomn)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:44
S25	3254	(sequence near5 attribute\$1) or ((sequence near3 (identification or number))) with attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 12:27
S64	1	"5542078".pn. and (model\$1 or string\$1 or variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 10:15
S63	1	"5542078".pn. and model\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 10:15
S62	2	"5542078".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 10:14
S61	4	"6470354".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:57
S60	18	S58 and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:57
S59	0	S58 and ibm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:55
S58	164	S57 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:54
S57	691	S56 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:54

S56	1169	aldridge.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:53
S55	2	"6470354".pn. and (sequence \$1 or model\$1 or table\$1 or schema\$1 or mapp\$3 or map \$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:53
S54	2	"20020194155" and (sequence \$1 or model\$1 or table\$1 or schema\$1 or mapp\$3 or map \$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:52
S53	2	"20030033277" and (sequence \$1 or model\$1 or table\$1 or schema\$1 or mapp\$3 or map \$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:47
S45	2	"20040006549" and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:43
S52	92	S51 and sequence\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:40
S51	130	S50 and (row\$1 and column \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:40
S50	186	S49 and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:39
S49	204	S48 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:39

S48	256	S47 and model\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:39
S47	306	object near3 relational near3 mapping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:38
S46	0	object near3 relational near3 mapping near3 stool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:38
S44	1	"6029160".pn. and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:27
S43	2	"20030140308" and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:23
S42	1	"20030084017" and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:20
S41	2	"6643633".pn. and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:16
S40	2	"6085198".pn. and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:13
S39	2	"6453356".pn. and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or florating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:09

S38	2	"6996589".pn. and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 17:00
S17	2	"20040015814" and (model\$1 or table\$1 or schema\$1 or mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:52
S37	2	"6728727".pn. and (mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:21
S36	102	S35 and (row\$1 and column \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:21
S8	3	"20040015829" and (mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:21
S35	177	S33 and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:20
S34	259662	L18and (row\$1 and column \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:20
S33	177	S32 and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:20
S32	185	S31 and instance\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:19
S31	208	S30 and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:19

S30	261	S26 and (database\$1 and model\$1 and object\$1 and relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:18
S29	1	S16 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:18
S28	357	S25 and (database\$1 and model\$1 and object\$1 and relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:18
S26	2453	S25 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:18
S27	1	S26 and randomn\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:16
S21	3	S20 and (sequence near5 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:14
S24	0	"6728727".pn. and randomn \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:13
S23	3	"6728727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:13
S22	3	S21 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:13
S20	63	"5857197".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:09
S14	63	"5857197".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:08

S19	2	"20050097187" and (sequence\$1 or attribute\$1 or intermediate or random\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:03
S18	2	"20050097187" and (sequence\$1 or attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 16:02
S16	1	"5857197".pn. and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 15:43
S9	2	"5857197".pn. and (mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 15:43
S12	2	"5857197".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 15:37
S13	63	"5857197".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 14:03
S11	2	"5542078".pn. and (mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 12:00
S10	2	"5212787".pn. and (mapp\$3 or map\$1 or metadata or interface\$1 or instance\$1 or table\$1 or sequence or attribute\$1 or string\$1 or floring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 11:51
S7	86	S6 and (programming near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 11:26
S6	164	S5 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 10:48

S4	14	S3 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 10:47
S3	18	((conversion\$1 or convert\$4) near5 database\$1) with (flat near3 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 10:36
S2	2	"20050044079"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/15 10:34

11/14/2008 1:36:13 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-684-055__1.wsp